

TANNOY®

Bring the cinema home

TFX
HOME THEATRE SYSTEM





TFX 5.1: Remastered for HD, 3D and SuperHD entertainment.

Tannoy's best selling budget home cinema loudspeaker package just got even better.

High Fidelity

The new TFX builds on the award winning SFX 5.1 system with a dynamic range to power through Dolby True HD and DTS HD-Master Audio soundtracks with ease. From articulating nuances of emotion to dramatic bass effects, TFX is at the cutting edge of home theatre performance. The TFX satellite and centre channel speakers feature Tannoy's WideBand technology with a tweeter response that extends to over 70 kHz. With new surround sound formats delivering frequencies of up to 48 kHz, TFX 5.1 captures the atmosphere and excitement of Blu-ray movies and High-Definition broadcasts like no other speaker package in its class.

The Deep

The TFX subwoofer underpins the satellite speakers' three-dimensional soundstage with deep and weighty bass. Its long-throw 8" (200mm) driver and potent 100 Watt amplifier have more than ample power for low frequency effects. Crafting a full range soundstage, the TFX electronics ensures seamless integration between the subwoofer and satellites to convey the power and passion of any movie.

The Shining

Looking as good as it sounds, each TFX system is colour matched in a sumptuous black or a fresh white high gloss finish. The four satellites are supplied with wall brackets and speaker cable is included ensuring the system can be set-up and running with the minimum fuss. Optional matching floor stands are available to order. Extremely compact dimensions of the satellites and subwoofer make discreet installation simple. The TFX 5.1 system incorporates an automatic on/off feature and energy efficient low standby power mode.

Fast and Furious

The curved rear profile of each TFX satellite speaker has been streamlined to eliminate internal standing waves to ensure outstanding clarity and definition. Perfect for both movie soundtracks and music, the enhanced polymer cabinets provide a tight, fast midrange response. The TFX centre channel speaker has been further fine-tuned to convey the most accurate and articulate dialogue. From a pin-drop to a shattering explosion, the TFX 5.1 system delivers effortless and immersive sound just how the director intended.



Technical Specifications

Centre & Satellites

Recommended amplifier power	15 - 100 W
Sensitivity (2.83 V @ 1 m)	85 dB
Nominal impedance	6 ohms
Frequency response (-6 dB)	140 Hz - 78 kHz
Drivers	HF: 15 mm (0.6") titanium dome, neodymium magnet system LF: 75 mm (3") multi-fibre paper cone
Crossover frequency (LF to HF)	2.9 kHz
Magnetic shielding	Yes
Satellite weight	0.8 kg (1.9 lbs)
Satellite dimensions (H x W x D)	130.9 x 95.9 x 100 mm (5.2 x 3.8 x 3.9")
Centre weight	1.5 kg (3.3 lbs)
Centre dimensions (H x W x D)	95.9 x 260.3 x 100 mm (3.8 x 10.3 x 3.9")
Finish	Gloss black Gloss white

Subwoofer

Power output	100 W
Frequency response (-6 dB)	45 Hz - 140 Hz
Driver	200 mm (8") paper cone
Inputs	Twin phono line level or speaker level
Power requirements	120 VA max
Fuse ratings	AC 100 - 120 V / 60 Hz - Fuse: T1.6A L / 250 V AC 220 - 240 V / 50 Hz - Fuse: T800mA L / 250 V
Additional features	ON / OFF / AUTO power function
Weight	9 kg (20 lbs)
Dimensions H x W x D	345 x 250 x 370 mm (13.6 x 9.8 x 14.6")
Finish	Black White

